



Filterboard from "flash" NRD-515 - PE1ABR
GREEN = original JRC NDK YF455DPB Z= 600 Ohm
-6 dB = 329 Hz | -60 dB = 1468 Hz | shape 60/6 = 4.448 = BAD ! | loss = 2.3 dB

RED = KOKUSAI MF-455-03AZ121
Circuit Z= 1000 Ohm - with two Z transfer transformers (2:1 and 1:2)
-6 dB = 805 Hz | -60 dB = 1903 Hz | shape 60/6 = 2.364 | total loss = 4 dB
KOKUSAI sticky foam removed, cleaned and filled up with cotton-wool
fresh "packaging" foam would even be better



Filterboard from "flash" NRD-515 - PE1ABR
GREEN = original JRC NDK YF455DPB Z= 600 Ohm
-6 dB = 329 Hz | -60 dB = 1468 Hz | shape 60/6 = 4.448 = BAD ! | loss = 2.3 dB

RED = KOKUSAI MF-455-03AZ121
Circuit Z= 1000 Ohm - with two Z transfer transformers (2:1 and 1:2)
-6 dB = 805 Hz | -60 dB = 1903 Hz | shape 60/6 = 2.364 | total loss = 4 dB
KOKUSAI sticky foam removed, cleaned and filled up with cotton-wool
fresh "packaging" foam would even be better



Filterboard from "flash" NRD-515 - PE1ABR
GREEN = original JRC NDK YF455DPB Z= 600 Ohm
-6 dB = 329 Hz | -60 dB = 1468 Hz | shape 60/6 = 4.448 = BAD ! | loss = 2.3 dB

RED = KOKUSAI MF-455-03AZ121
Circuit Z= 1000 Ohm - with two Z transfer transformers (2:1 and 1:2)
-6 dB = 805 Hz | -60 dB = 1903 Hz | shape 60/6 = 2.364 | total loss = 4 dB
KOKUSAI sticky foam removed, cleaned and filled up with cotton-wool
fresh "packaging" foam would even be better

